



MAJOR SOURCE OPERATING PERMIT

PERMITTEE: COLORMASTERS, INC.

FACILITY NAME: COLORMASTERS (MEDLOCK ROAD FACILITY)

FACILITY/PERMIT NO.: 711-0066

LOCATION: ALBERTVILLE, MARSHALL, ALABAMA

Issuance Date: December XX, 2016

Effective Date: December XX, 2016

Expiration Date: July 7, 2018

In accordance with and subject to the provisions of the Alabama Air Pollution Control Act of 1971, as amended, Ala. Code 1975, §§22-28-1 to 22-28-23 (2006 Rplc. Vol. and 2007 Cum. Supp.) (the "AAPCA") and the Alabama Environmental Management Act, as amended, Ala. Code 1975, §§22-22A-1 to 22-22A-15, (2006 Rplc. Vol. and 2007 Cum. Supp.) and rules and regulations adopted thereunder, and subject further to the conditions set forth in this permit, the Permittee is hereby authorized to construct, install and use the equipment, device or other article described above.

Pursuant to the Clean Air Act of 1990, all conditions of this permit are federally enforceable by EPA, the Alabama Department of Environmental Management, and citizens in general. Those provisions which are not required under the Clean Air Act of 1990 are considered to be state permit provisions and are not federally enforceable by EPA and citizens in general. Those provisions are contained in separate sections of this permit.

TABLE OF CONTENTS

GENERAL PERMIT PROVISOS	3
OPERATING PERMIT SUMMARY NO. 1	14
UNIT 003 SPECIFIC PROVISOS	
Section 2Emission Standards	15
Section 3Compliance and Performance Test Methods and Procedures Section 4Emission Monitoring	15
Section 5Record-keeping and Reporting Requirements	16

Fede	rallv F	nforceable Provisos	Regulations
1.	Tran		<u> </u>
	This	permit is not transferable, whether by operation of	Rule 335-3-1602(6)
		r otherwise, either from one location to another,	
		one piece of equipment to another, or from one	
		on to another, except as provided in Rule 335-3-	
2	Rene	3(1)(a)5.	
<u>2</u> .		oplication for permit renewal shall be submitted at	Rule 335-3-1612(2)
		six (6) months, but not more than eighteen (18)	Nate 333 3 10 .12(2)
		hs, before the date of expiration of this permit.	
		source for which this permit is issued shall lose its	
		to operate upon the expiration of this permit	
		ss a timely and complete renewal application has	
	been	submitted within the time constraints listed in the	
_	•	ous paragraph.	
<u>3.</u>		rability Clause	5 1 005 0 1 (05 ()
		provisions of this permit are declared to be	Rule 335-3-1605(e)
		able and if any section, paragraph, subparagraph,	
		ivision, clause, or phrase of this permit shall be aged to be invalid or unconstitutional by any court	
	-	mpetent jurisdiction, the judgment shall not affect,	
		ir, or invalidate the remainder of this permit, but	
		be confined in its operation to the section,	
		graph, subparagraph, subdivision, clause, or	
		se of this permit that shall be directly involved in	
		ontroversy in which such judgment shall have	
		rendered.	
<u>4.</u>		<u>pliance</u>	D 1 005 0 1/ 05/0
	(a)	The permittee shall comply with all conditions of	Rule 335-3-1605(f)
		ADEM Admin. Code 335-3. Noncompliance with this permit will constitute a violation of the Clean	
		Air Act of 1990 and ADEM Admin. Code 335-3	
		and may result in an enforcement action;	
		including but not limited to, permit termination,	
		revocation and reissuance, or modification; or	
		denial of a permit renewal application by the	
		permittee.	
	(b)	The permittee shall not use as a defense in an	Rule 335-3-1605(g)
		enforcement action that maintaining compliance	
		with conditions of this permit would have	
		required halting or reducing the permitted	

Fede	rally Enforceable Provisos	Regulations
	activity.	
<u>5.</u>	Termination for Cause	
	This permit may be modified, revoked, reopened, and	Rule 335-3-1605(h)
	reissued, or terminated for cause. The filing of a	
	request by the permittee for a permit modification, revocation and reissuance, or termination, or of a	
	notification of planned changes or anticipated	
	noncompliance will not stay any permit condition.	
6.	Property Rights	
	The issuance of this permit does not convey any	Rule 335-3-1605(i)
	property rights of any sort, or any exclusive privilege.	
<u>7. </u>	Submission of Information	
	The permittee must submit to the Department, within	Rule 335-3-1605(j)
	30 days or for such other reasonable time as the	
	Department may set, any information that the Department may request in writing to determine	
	whether cause exists for modifying, revoking and	
	reissuing, or terminating this permit or to determine	
	compliance with this permit. Upon receiving a specific	
	request, the permittee shall also furnish to the	
	Department copies of records required to be kept by	
	this permit.	
8.	Economic Incentives, Marketable Permits, and	
	Emissions Trading No permit revision shall be required, under any	Rule 335-3-1605(k)
	approved economic incentives, marketable permits,	Kule 333-3-1003(K)
	emissions trading and other similar programs or	
	processes for changes that are provided for in this	
	permit.	
9.	Certification of Truth, Accuracy, and Completeness:	
	Any application form, report, test data, monitoring	Rule 335-3-1607(a)
	data, or compliance certification submitted pursuant to	
	this permit shall contain certification by a responsible official of truth, accuracy, and completeness. This	
	certification shall state that, based on information and	
	belief formed after reasonable inquiry, the statements	
	and information in the document are true, accurate	
	and complete.	
<u>10.</u>	Inspection and Entry	
	Upon presentation of credentials and other documents	Rule 335-3-1607(b)
	as may be required by law, the permittee shall allow	
	authorized representatives of the Alabama Department	

Feder	Federally Enforceable Provisos Regulations				
1 0001		nvironmental Management and EPA to conduct	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		following:			
	(a)	Enter upon the permittee's premises where a			
	(-)	source is located or emissions-related activity is			
		conducted, or where records must be kept			
		pursuant to the conditions of this permit;			
	(b)	Review and/or copy, at reasonable times, any			
	` ,	records that must be kept pursuant to the			
		conditions of this permit;			
	(c)	Inspect, at reasonable times, this facility's			
		equipment (including monitoring equipment and			
		air pollution control equipment), practices, or			
		operations regulated or required pursuant to			
		this permit;			
	(d)	Sample or monitor, at reasonable times,			
		substances or parameters for the purpose of			
		assuring compliance with this permit or other			
		applicable requirements.			
<u>11.</u>		pliance Provisions	D. J. 225 2 14 07(a)		
	(a)	The permittee shall continue to comply with the	Rule 335-3-1607(c)		
		applicable requirements with which the			
		company has certified that it is already in compliance.			
	(b)	The permittee shall comply in a timely manner			
	(D)	with applicable requirements that become			
		effective during the term of this permit.			
12.	Com	pliance Certification			
	A cor	npliance certification shall be submitted annually	Rule 335-3-1607(e)		
	withi	n 60 days of the anniversary date of issuance of			
	this	permit.			
	(a)	The compliance certification shall include the			
		following:			
		(1) The identification of each term or condition			
		of this permit that is the basis of the			
		certification;			
		(2) The compliance status;			
		(3) The method(s) used for determining the			
		compliance status of the source, currently			
		and over the reporting period consistent			
		with Rule 335-3-1605(c) (Monitoring and Recordkeeping Requirements);			
		(4) Whether compliance has been continuous			
		(7) Which ice comphanice has been continuous	I		

Fede	erally E	Inforceable Provisos	Regulations
	<u>~</u>	or intermittent;	
		(5) Such other facts as the Department may	
		require to determine the compliance status	
		of the source;	
	(b)	The compliance certification shall be submitted	
		to:	
	Alabar	ma Department of Environmental Management	
		Air Division	
		P.O. Box 301463	
		Montgomery, AL 36130-1463	
		and to:	
		Air and EPCRA Enforcement Branch	
		EPA Region IV	
		61 Forsyth Street, SW	
		Atlanta, GA 30303	
<u>13.</u>	Reop	pening for Cause	
	Unde	er any of the following circumstances, this permit	Rule 335-3-1613(5)
	will k	be reopened prior to the expiration of the permit:	
	(a)	Additional applicable requirements under the	
		Clean Air Act of 1990 become applicable to the	
		permittee with a remaining permit term of three	
		(3) or more years. Such a reopening shall be	
		completed not later than eighteen (18) months	
		after promulgation of the applicable requirement.	
		No such reopening is required if the effective date	
		of the requirement is later than the date on	
	/I= \	which this permit is due to expire.	
	(b)	Additional requirements (including excess	
		emissions requirements) become applicable to an	
		affected source under the acid rain program.	
		Upon approval by the Administrator, excess emissions offset plans shall be deemed to be	
		incorporated into this permit.	
	(c)	The Department or EPA determines that this	
	(C)	permit contains a material mistake or that	
		inaccurate statements were made in establishing	
		the emissions standards or other terms or	
		conditions of this permit.	
	(d)	The Administrator or the Department determines	
	(5)	that this permit must be revised or revoked to	
		assure compliance with the applicable	

Fede	erally E	inforceable Provisos	Regulations	
		requirements.		
<u>14.</u>		tional Rules and Regulations		
		permit is issued on the basis of Rules and	§22-28-16(d), Code of	
		lations existing on the date of issuance. In the	Alabama 1975, as	
		t additional Rules and Regulations are adopted, it	amended	
		be the permit holder's responsibility to comply		
		such rules.		
<u>15.</u>		pment Maintenance or Breakdown	D 1 005 0 1 07(1)	
	(a)	In the case of shutdown of air pollution control	Rule 335-3-107(1),	
		equipment (which operates pursuant to any	(2)	
		permit issued by the Director) for necessary		
		scheduled maintenance, the intent to shut down such equipment shall be reported to the Director		
		at least twenty-four (24) hours prior to the		
		planned shutdown, unless such shutdown is		
		accompanied by the shutdown of the source		
		which such equipment is intended to control.		
		Such prior notice shall include, but is not limited		
		to the following:		
		(1) Identification of the specific facility to be		
		taken out of service as well as its location		
		and permit number;		
		(2) The expected length of time that the air		
		pollution control equipment will be out of		
		service;		
		(3) The nature and quantity of emissions of air		
		contaminants likely to occur during the		
		shutdown period;		
		(4) Measures such as the use of off-shift labor		
		and equipment that will be taken to		
		minimize the length of the shutdown		
		period; (5) The reasons that it would be impossible or		
		(5) The reasons that it would be impossible or impractical to shut down the source		
		impractical to shut down the source operation during the maintenance period.		
	(b)	In the event that there is a breakdown of		
	(D)	equipment or upset of process in such a manner		
		as to cause, or is expected to cause, increased		
		emissions of air contaminants which are above		
		an applicable standard, the person responsible		
		for such equipment shall notify the Director		
		within 24 hours or the next working day and		
		ŭ ,	•	

Fede	rally Enforce	able Provisos	Regulations
	inclu break	de a statement giving all pertinent facts, ding the estimated duration of the down. The Director shall be notified when reakdown has been corrected.	
<u>16.</u>		of Capture and Control Devices	
	for which the operated at emissions of ensuring the and maintan contaminar	ation control devices and capture systems his permit is issued shall be maintained and all times in a manner so as to minimize the of air contaminants. Procedures for nat the above equipment is properly operated lined so as to minimize the emission of air at shall be established.	§22-28-16(d), Code of Alabama 1975, as amended
<u>17.</u>	obnoxious of verified by the odorous determinat Environmen	is issued with the condition that, should odors arising from the plant operations be Air Division inspectors, measures to abate semissions shall be taken upon a ion by the Alabama Department of that Management that these measures are and economically feasible.	Rule 335-3-108
	(a) Precadust stock etc. (b) Plant main will racon utiliz	emanating from plant roads, grounds, piles, screens, dryers, hoppers, ductwork, or haul roads and grounds will be tained in the following manner so that dust not become airborne. A minimum of one, or abination, of the following methods shall be ed to minimize airborne dust from plant or roads and grounds: By the application of water any time the surface of the road is sufficiently dry to allow the creation of dust emissions by the act of wind or vehicular traffic; By reducing the speed of vehicular traffic to a point below that at which dust emissions are created; By paving; By the application of binders to the road surface at any time the road surface is	Rule 335-3-402

Fede	erally Enforceable Provisos	Regulations		
	emissions; Should one, or a combination, of the above methods fail to adequately reduce airborne dust from plant or haul roads and grounds, alternative methods shall be employed, either exclusively or in combination with one or all of the above control techniques, so that dust will not become airborne. Alternative methods shall be approved by the Department prior to utilization.			
<u>19.</u>	Additions and Revisions Any modifications to this source shall comply with the modification procedures in Rules 335-3-1613 or 335-3-1614.	Rule 335-3-1613 and .14		
<u>20.</u>	Recordkeeping Requirements			
	 (a) Records of required monitoring information of the source shall include the following: The date, place, and time of all sampling or measurements; The date analyses were performed; The company or entity that performed the analyses; The analytical techniques or methods used; The results of all analyses; and The operating conditions that existed at the time of sampling or measurement. (b) Retention of records of all required monitoring data and support information of the source for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation and copies of all reports required by the permit 	Rule 335-3-16- .05(c)2.		
<u>21.</u>	Reporting Requirements (a) Reports to the Department of any required monitoring shall be submitted at least every 6 months. All instances of deviations from permit requirements must be clearly identified in said reports. All required reports must be certified by a responsible official consistent with Rule 335-3-1604(9).	Rule 335-3-16- .05(c)3.		

<u>Fede</u>	Federally Enforceable Provisos Regulations			
- 500	(b) Deviations from permit requirements shall be	1 1 1 2 3 4 1 4 1 5 1 5		
	reported within 48 hours or 2 working day of			
	such deviations, including those attributable to			
	upset conditions as defined in the permit. The			
	report will include the probable cause of said			
	deviations, and any corrective actions or			
	preventive measures that were taken.			
<u>22.</u>	Emission Testing Requirements			
	Each point of emission which requires testing will be provided with sampling ports, ladders, platforms, and other safety equipment to facilitate testing performed in accordance with procedures established by Part 60 of Title 40 of the Code of Federal Regulations, as the same	Rule 335-3-105(3) and Rule 335-3-1- .04(1)		
	may be amended or revised. The Air Division must be notified in writing at least 10 days in advance of all emission tests to be conducted and submitted as proof of compliance with the Department's air pollution control rules and regulations.			
	To avoid problems concerning testing methods and			
	procedures, the following shall be included with the			
	notification letter:			
	 The date the test crew is expected to arrive, the date and time anticipated of the start of the first run, how many and which sources are to be tested, and the names of the persons and/or testing company that will conduct the tests. A complete description of each sampling train to be used, including type of media used in determining gas stream components, type of probe lining, type of filter media, and probe cleaning method and solvent to be used (if test procedures require probe cleaning). A description of the process(es) to be tested including the feed rate, any operating parameters used to control or influence the operations, and the rated capacity. A sketch or sketches showing sampling point locations and their relative positions to the nearest upstream and downstream gas flow 	Rule 335-3-104		
	disturbances. A pretest meeting may be held at the request of the	Rule 335-3-104		

	Fadarally Fafaraadda Davidada			
<u> Fede</u>	rally Enforceable Provisos	Regulations		
	source owner or the Air Division. The necessity for			
	such a meeting and the required attendees will be			
	determined on a case-by-case basis.			
	All test reports must be submitted to the Air Division			
	within 30 days of the actual completion of the test unless an extension of time is specifically approved by			
	the Air Division.			
<u>23.</u>	Payment of Emission Fees			
<u>20.</u>	Annual emission fees shall be remitted each year	Rule 335-1-704		
	according to the fee schedule in ADEM Admin. Code R.	1.01		
	335-1-704.			
24.	Other Reporting and Testing Requirements			
	Submission of other reports regarding monitoring	Rule 335-3-104(1)		
	records, fuel analyses, operating rates, and equipment			
	malfunctions may be required as authorized in the			
	Department's air pollution control rules and			
	regulations. The Department may require emission			
	testing at any time.			
<u>25.</u>	Title VI Requirements (Refrigerants)			
	Any facility having appliances or refrigeration	335-3-1605(a)		
	equipment, including air conditioning equipment,			
	which use Class I or Class II ozone-depleting			
	substances as listed in 40 CFR Part 82, Subpart A,			
	Appendices A and B, shall service, repair, and maintain			
	such equipment according to the work practices, personnel certification requirements, and certified			
	recycling and recovery equipment specified in 40 CFR			
	Part 82, Subpart F.			
	No person shall knowingly vent or otherwise release			
	any Class I or Class II substance into the environment			
	during the repair, servicing, maintenance, or disposal			
	of any device except as provided in 40 CFR Part 82,			
	Subpart F.			
	The responsible official shall comply with all reporting			
	and recordkeeping requirements of 40 CFR 82.166.			
	Reports shall be submitted to the US EPA and the			
	Department as required.			
<u> 26.</u>	Chemical Accidental Prevention Provisions			
	If a chemical listed in Table 1 of 40 CFR Part 68.130 is	40 CFR Part 68		
	present in a process in quantities greater than the			
	threshold quantity listed in Table 1, then:			
	(a) The owner or operator shall comply with the			

Fede	rally E	nforceable Provisos	Regulations
		provisions in 40 CFR Part 68.	-
	(b)	The owner or operator shall submit one of the	
		following:	
		(1) A compliance schedule for meeting the	
		requirements of 40 CFR Part 68 by the date provided in 40 CFR Part 68 § 68.10(a) or,	
		(2) A certification statement that the source is	
		in compliance with all requirements of 40	
		CFR Part 68, including the registration and	
		submission of the Risk Management Plan.	
<u>27.</u>	Disp	lay of Permit	
		permit shall be kept under file or on display at all	Rule 335-3-14-
		s at the site where the facility for which the permit	.01(1)(d)
		ued is located and will be made readily available	
	see it	spection by any or all persons who may request to	
28.		umvention	
		erson shall cause or permit the installation or use	Rule 335-3-110
		y device or any means which, without resulting in	
		ction in the total amount of air contaminant	
		ed, conceals or dilutes any emission of air	
		aminant which would otherwise violate the	
29.		ion 3 rules and regulations. Ile Emissions	
<u> </u>		ss otherwise specified in the Unit Specific provisos	Rule 335-3-401(1)
		s permit, any source of particulate emissions shall	
		lischarge more than one 6-minute average opacity	
	0	er than 20% in any 60-minute period. At no time	
		any source discharge a 6-minute average opacity	
		rticulate emissions greater than 40%. Opacity will	
		etermined by 40 CFR Part 60, Appendix A, Method less otherwise specified in the Unit Specific	
		sos of this permit.	
30.	•	Burning Equipment	
	(a)	Unless otherwise specified in the Unit Specific	Rule 335-3-403
		provisos of this permit, no fuel-burning	
		equipment may discharge particulate emissions	
		in excess of the emissions specified in Part 335-	Dula 225 2 5 01
	(h)	3-403.	Rule 335-3-501
	(b)	Unless otherwise specified in the Unit Specific provisos of this permit, no fuel-burning	
		equipment may discharge sulfur dioxide	
		equipment may discharge sulfur dioxide	

Fede	erally Enforceable Provisos	Regulations
	emissions in excess of the emissions specified in Part 335-3-501.	
<u>31.</u>	Process Industries – General Unless otherwise specified in the Unit Specific provisos of this permit, no process may discharge particulate emissions in excess of the emissions specified in Part 335-3-404.	Rule 335-3-404
32.	Averaging Time for Emission Limits Unless otherwise specified in the permit, the averaging time for the emission limits listed in this permit shall be the nominal time required by the specific test method.	Rule 335-3-105

Operating Permit Summary No. 1

Emission Unit(s): 003

Designation No(s). in Application: Lines 001 and 002

Company: Colormasters, Inc. - Medlock Road Facility **Description:** Two (2) – Flexographic Printing Presses with

Associated Equipment and Regenerative Thermal Oxidizer (RTO) – [Press #1 (ten-color) and Press #2

(ten-color) with Two (2) Ovens - Two (2) 0.80 MMBtu/hr natural gas fired burners, and RTO – 4.0

MMBtu/hr]

Permitted Operating Schedule: 24 hr/day x 365 days/yr. = 8760 hr/yr.

Type and quantity of fuel used: Primary: Natural Gas

Secondary: None

Pollutants Emitted:

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	245 tons any rolling 12 month period	SYNTHETIC MINOR PSD
HAP/HAPs	9.5/24.5 tons any rolling 12 month period facility wide	SYNTHETIC MINOR HAP LIMITS

Unit Specific Provisos

Federally Enforceable Provisos		Regulations
Section 1 Applicability		
1.	This source is subject to the applicable requirements of ADEM Admin. Code R. 335-3-1603, "Major Source Operating Permit."	ADEM Admin. Code R. 335-3-1601
2.	This source is subject to a PSD synthetic minor emission limitation.	ADEM Admin. Code R. 335-3-1404
3.	This source is subject to synthetic minor limitations for Hazardous Air Pollutants.	ADEM Admin. Code R. 335-3-14
Section 2 – Emission Standards		
1.	Emissions of Volatile Organic Compounds (VOCs) from Unit 003 shall not exceed 245 tons per year (TPY) in any consecutive rolling 12-month period.	ADEM Admin. Code R. 335-3-1404(8)
2.	Emissions of Hazardous Air Pollutants (HAPs) from this facility shall not exceed 9.5 tons for any single HAP nor 24.5 tons for any combination of HAPs during any consecutive 12-month period.	ADEM Admin. Code R. 335-3-1106(36)
Section 3 – Compliance and Performance Test Methods and Procedures		
1.	The HAPs content by weight of each HAPs containing material used shall be determined using EPA Test Method 311, as defined in 40 CFR 63, Appendix A. Vendor data based on this method is an appropriate substitute.	ADEM Admin. Code R. 335-3-1106(35)
2.	The VOC content by weight of each VOC containing material used shall be determined using EPA Test Method 24, as defined in 40 CFR 60, Appendix A. Vendor data based on this method is an appropriate substitute.	ADEM Admin. Code R. 335-3-104
Section 4Emission Monitoring		
1.	The temperature of the RTO shall be maintained at a minimum of the combustion chamber temperature used to demonstrate that 95% DRE is being achieved during the most recent RTO efficiency performance (3-	ADEM Admin. Code R. 335-3-1602

run arithmetic average) test. If future testing is required by ADEM, a new temperature parameter shall be established.

- 2. The minimum temperatures of the RTO, as required above shall be maintained at all times, except during emissions testing as approved by the Department. The combustion chamber temperature of the RTO must be continuously recorded on a chart or other permanent record. The RTO must have audible alarm or other easily detectable signal, which will provide a warning combustion when the instantaneous chamber temperature decreases to less than the established operational (3-hour rolling minimum average) temperature. If the 3-hour rolling average falls below the minimum operational temperature for more than 15 minutes, the process(es) will automatically shut down.
- 3. The origin and detectability of the audible or other signal shall be such that it can be readily heard or detected by the operator or another person who will immediately determine the cause and take appropriate action to correct any problem and/or record the malfunction/reason. The time, duration, cause(s), and the action(s) taken for any operating temperature less than the established minimum shall be recorded in a form suitable for inspection. These records shall be maintained for at least five years. For periods when the temperature is less than the minimum operating (3-hour rolling average) temperature, VOC will be calculated as if there was no (0%) capture and destruction of VOC in the RTO.

Section 5--Recordkeeping and Reporting Requirements

- 1. A written report for the RTO shall be submitted to the Air Division along with the emission reports. The report shall provide the following information, as applicable.
 - (a) The quantity of solvents/inks of VOC and HAP in the coating applied.
 - (b) The amount of VOC and HAP vented to the RTO

ADEM Admin. Code R. 335-3-16-.02

by the printing presses.

- (c) The estimated average DRE of the RTO
- (d) The amount of VOC and HAP released or exhausted into the atmosphere by the RTO.
- (e) The overall reduction of the VOC and HAP emissions from the presses.
- (f) The time and date of any and all periods of coating operations where the temperature of the RTO is below the established minimum temperature.
- (g) The cumulative or total quantity of VOC and HAP released or exhausted into the atmosphere during the applicable month and previous elven months.
- 2. When the bypassing occurs on the RTO, the time, date, duration and estimated VOC and HAP emissions will be recorded.
- 3. Records will be maintained of any malfunction or nonoperation of the common RTO, which results in an increase in the VOC and HAP emissions from the presses. These records will be maintained in a form suitable for inspection for a period of five years.
- 4. Accurate and understandable records of consumption, which record at least the last five years of data, will be maintained in a permanent form suitable for inspection and be available immediately upon request. This facility shall provide a copy of records and supporting background documents upon request that pertain to this air permit. These records shall contain the following information:
 - (a) The type and quantity of each VOC and HAP containing material used by the flexographic press.
 - (b) The VOC, HAP and water content shall be determined from the evaluation data supplied by the ink manufacturer with each shipment of purchased raw inks and related coatings used.
 - (c) The percent by volume of VOCs, water, solids,

ADEM Admin. Code R. 335-3-1-.04

HAPs, and exempt VOC compounds content of each VOC containing material used each calendar month.

- (d) Compliance with VOC and HAP limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC and HAP content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance.
- (e) Complete inventories of the VOC and HAP containing materials (their usage, VOC content and HAP content) shall be made at the end of each calendar month.
- (f) The amount of VOCs emitted per calendar month from the coating and cleaning operations in units of pounds and tons.
- (g) The rolling 12-month total of VOCs emitted from the coating and cleaning operations in units of pounds and tons.
- (h) Within the first 20 days of each month, compliance with all provisos in this permit will be determined. These records will be maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the exceedance.

ADEM Admin. Code R. 335-3-1-.04

5. A report summarizing the information in Section 5 shall be submitted each calendar quarter by the 20th day of the month following the end of the quarter, in a format approved by the Department in advance.

ADEM Admin. Code R. 335-3-1-.04